



Jerseyville, IL 1004 State Highway 16
Mt. Vernon, IL 800 Broadway Suite 3
Columbia, IL 310A Vision Drive
Maryville, IL 2140 Vadalabene Drive
Arnold, MO 1929 Richardson Road
618.498.6418 www.haengr.com

Addendum No. 2

for

Pleasant Street Drainage Improvements – Phase 2
For City of Jerseyville
Jerseyville, Illinois

H&A File No. 00140-341
December 15, 2025

The Contract Documents prepared by Heneghan & Associates, P.C. for the Pleasant Street Drainage Improvements – Phase 2 for the City of Jerseyville, Illinois, are hereby amended or clarified as follows:

PROJECT SPECIFICATIONS

Changes/additions/clarifications to the project specifications are as listed below:

Bid Form: A REVISED BID FORM is included with the addendum, only bids submitted on this REVISED BID FORM will be accepted. The storm sewer lining 24" pay item was changed to 724 feet.

Trench Backfill – Clarification to trench backfill detail on sheet 12 of the plans. The 4" bedding and haunching shall be aggregate for all storm sewer pipe and be considered incidental to storm sewer pipe installation. The initial and final backfill shall be aggregate under paved surfaces, which will be paid as trench backfill as shown in the plan quantities. If the storm sewer pipe is not under a paved surface, then initial and final backfill can be clean soil from the trench excavation.

Storm Sewer Lining – Steam curing will be allowed for CIPP installation on this project.

End of Addendum.



J. Adam Lott, P.E.
Project Engineer

BID FORM FOR CONSTRUCTION CONTRACT

The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the General Conditions.

ARTICLE 1—OWNER AND BIDDER

1.01 This Bid is submitted to:

City of Jerseyville
Attn: Bob Manns, Public Works Director
115 E. Prairie St.
Jerseyville, IL 62052

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2—ATTACHMENTS TO THIS BID

2.01 The following documents are submitted with and made a condition of this Bid:

- A. Required Bid security;
- B. List of Proposed Subcontractors;
- C. List of Proposed Suppliers;
- D. Evidence of authority to do business in the state of the Project; or a written covenant to obtain such authority within the time for acceptance of Bids;
- E. Contractor's license number as evidence of Bidder's State Contractor's License or a covenant by Bidder to obtain said license within the time for acceptance of Bids;
- F. Required Bidder Qualification Statement with supporting data; and
- G. **[List other documents and edit above as pertinent].**

ARTICLE 3—BASIS OF BID—LUMP SUM BID AND UNIT PRICES

3.01 *Unit Price Bids*

A. Bidder will perform the following Work at the indicated unit prices:

BASE BID					
ITEM	ITEM	UNIT	QUANTITY	UNIT PRICE	TOTAL PRICE
1	TREE REMOVAL	EACH	19		
2	GRADING	SY	4150		
3	TRENCH BACKFILL	TON	1115		

4	HYDRO-SEED AND MULCH	ACRE	1.7		
5	TEMPORARY EROSION CONTROL SEEDING	POUND	256		
6	INLET AND PIPE PROTECTION	EACH	9		
7	STONE RIPRAP, CLASS A3	SQ YD	16		
8	FILTER FABRIC	SQ YD	16		
9	PORTLAND CEMENT CONCRETE ROADWAY PAVEMENT	SQ YD	263		
10	HMA ROADWAY REPAIR	TON	24		
11	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	301		
12	AGGREGATE DRIVEWAY REPAIR	SQ YD	130		
13	PAVEMENT REMOVAL	SQ YD	283		
14	DRIVEWAY PAVEMENT REMOVAL	SQ YD	183		
15	SIDEWALK REMOVAL	SQ FT	301		
16	FENCE REMOVE & REPLACE	FOOT	455		
17	ADD TOP RAIL TO DETENTION BASIN FENCE	FOOT	440		
18	STORM SEWER PIPE REMOVAL	FOOT	1517		
19	DRAINAGE STRUCTURE TO BE REMOVED	EACH	17		
20	ABANDONED EXISTING STORM SEWER	FOOT	170		
21	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 18"	EACH	1		
22	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 24"	EACH	2		
23	STORM SEWERS, CLASS A, TYPE 1 12"	FOOT	47		
24	STORM SEWERS, CLASS A, TYPE 1 15"	FOOT	105		
25	STORM SEWERS, CLASS A, TYPE 1 18"	FOOT	406		
26	STORM SEWERS, CLASS A, TYPE 1 36"	FOOT	1194		
27	INLINE INLET TYPE A (OPEN) TYPE 8 GRATE	EACH	1		
28	INLET TYPE B TYPE 8 GRATE	EACH	1		
29	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME AND GRATE (CLOSED)	EACH	1		
30	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME AND GRATE (OPEN)	EACH	1		
31	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME AND GRATE (CLOSED)	EACH	2		
32	MANHOLES, TYPE A, 10' DIAMETER TYPE 1 F+G (OPEN)	EACH	1		

33	5'x5' PCC CURB INLET	EACH	2		
34	6'X6' AREA INLET	EACH	2		
35	5X5' AREA INLET	EACH	3		
36	STORM SEWER CONNECTION (EXISTING PIPE TO MANHOLE)	EACH	1		
37	STORM SEWER CONNECTION (NEW PIPE TO EXISTING INLET)	EACH	2		
38	CONNECT EXISTING DOWNSPOUTS	EACH	8		
39	CONSTRUCTION LAYOUT	L SUM	1		
40	MOBILIZATION	L SUM	1		
41	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1		
		TOTAL BASE BID			

ALTERNATE A					
1	GRADING	SY	125		
2	TRENCH BACKFILL	TON	200		
3	HYDRO-SEED AND MULCH	ACRE	0.81		
4	TEMPORARY EROSION CONTROL SEEDING	POUND	81		
5	PORTLAND CEMENT CONCRETE ROADWAY PAVEMENT	SQ YD	38		
6	HMA ROADWAY REPAIR	TON	12		
7	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	114		
8	DRIVEWAY REPLACEMENT	SQ YD	14		
9	PAVEMENT REMOVAL	SQ YD	89		
10	DRIVEWAY PAVEMENT REMOVAL	SQ YD	14		
11	SIDEWALK REMOVAL	SQ FT	114		
12	STORM SEWER PIPE REMOVAL	FOOT	38		
13	DRAINAGE STRUCTURE TO BE REMOVED	EACH	5		
14	FENCE REMOVE & REPLACE	FOOT	42		
15	STORM SEWER LINING 18"	FOOT	121		
16	STORM SEWER LINING 24"	FOOT	724		
17	STORM SEWERS, CLASS A, TYPE 1 15"	FOOT	53		

18	STORM SEWERS, CLASS A, TYPE 1 24"	FOOT	37		
19	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME AND GRATE (CLOSED) (SET OVER)	EACH	5		
20	6'x6' PCC CURB INLET	EACH	2		
21	4'x4' PCC CURB INLET	EACH	2		
22	INLET, TYPE B	EACH	1		
23	STORM SEWER CONNECTION (EXISTING PIPE TO INLET)	EACH	6		
		TOTAL ALTERNATE A			

ALTERNATE B

1	TREE REMOVAL	EACH	1		
2	GRADING	SY	2000		
3	TRENCH BACKFILL	TON	500		
4	HYDRO-SEED AND MULCH	ACRE	0.82		
5	TEMPORARY EROSION CONTROL SEEDING	POUND	82		
6	INLET AND PIPE PROTECTION	EACH	4		
7	PORTLAND CEMENT CONCRETE ROADWAY PAVEMENT	SQ YD	38		
8	HMA ROADWAY REPAIR	TON	12		
9	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	960		
10	DRIVEWAY REPLACEMENT	SQ YD	32		
11	PAVEMENT REMOVAL	SQ YD	89		
12	DRIVEWAY PAVEMENT REMOVAL	SQ YD	32		
13	SIDEWALK REMOVAL	SQ FT	960		
14	ABANDONED EXISTING STORM SEWER	FOOT	90		
15	FENCE REMOVE & REPLACE	FOOT	40		
16	STORM SEWER PIPE REMOVAL	FOOT	935		
17	DRAINAGE STRUCTURE TO BE REMOVED	EACH	4		
18	STORM SEWERS, CLASS A, TYPE 1 15"	FOOT	53		
19	STORM SEWERS, CLASS A, TYPE 1 18"	FOOT	613		
20	STORM SEWERS, CLASS A, TYPE 1 24"	FOOT	332		

21	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME AND GRATE (CLOSED)	EACH	3		
22	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME AND GRATE (CLOSED)	EACH	3		
23	5'x5' PCC CURB INLET	EACH	2		
24	4'x4' PCC CURB INLET	EACH	2		
25	STORM SEWER CONNECTION (NEW PIPE TO EXISTING INLET)	EACH	2		
26	CONNECT EXISTING DOWNSPOUTS	EACH	4		
			TOTAL ALTERNATE B		

B. Bidder acknowledges that:

1. each Bid Unit Price includes an amount considered by Bidder to be adequate to cover Contractor's overhead and profit for each separately identified item, and
2. estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Work will be based on actual quantities, determined as provided in the Contract Documents.

3.02 *Total Bid Price (Lump Sum and Unit Prices)*

Total Base Bid Price (Total of all Lump Sum and Unit Price Bids)	\$
Total Alternate A Bid Price (Total of all Lump Sum and Unit Price Bids)	\$
Total Alternate B Bid Price (Total of all Lump Sum and Unit Price Bids)	\$

ARTICLE 4—TIME OF COMPLETION

4.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement.

4.02 Bidder accepts the provisions of the Agreement as to liquidated damages.

ARTICLE 5—BIDDER'S ACKNOWLEDGEMENTS: ACCEPTANCE PERIOD, INSTRUCTIONS, AND RECEIPT OF ADDENDA

5.01 *Bid Acceptance Period*

A. This Bid will remain subject to acceptance for 90 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

5.02 *Instructions to Bidders*

A. Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security.

5.03 *Receipt of Addenda*

A. Bidder hereby acknowledges receipt of the following Addenda:

Addendum Number	Addendum Date

ARTICLE 6—BIDDER'S REPRESENTATIONS AND CERTIFICATIONS

6.01 *Bidder's Representations*

- A. In submitting this Bid, Bidder represents the following:
 - 1. Bidder has examined and carefully studied the Bidding Documents, including Addenda.
 - 2. Bidder has visited the Site, conducted a thorough visual examination of the Site and adjacent areas, and become familiar with the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
 - 3. Bidder is familiar with all Laws and Regulations that may affect cost, progress, and performance of the Work.
 - 4. Bidder has carefully studied the reports of explorations and tests of subsurface conditions at or adjacent to the Site and the drawings of physical conditions relating to existing surface or subsurface structures at the Site that have been identified in the General Conditions, with respect to the Technical Data in such reports and drawings.
 - 5. Bidder has carefully studied the reports and drawings relating to Hazardous Environmental Conditions, if any, at or adjacent to the Site that have been identified in the General Conditions, with respect to Technical Data in such reports and drawings.
 - 6. Bidder has considered the information known to Bidder itself; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and the Technical Data identified in the General Conditions or by definition, with respect to the effect of such information, observations, and Technical Data on (a) the cost, progress, and performance of the Work; (b) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, if selected as Contractor; and (c) Bidder's (Contractor's) safety precautions and programs.
 - 7. Based on the information and observations referred to in the preceding paragraph, Bidder agrees that no further examinations, investigations, explorations, tests, studies, or data are necessary for the performance of the Work at the Contract Price, within the Contract Times, and in accordance with the other terms and conditions of the Contract.
 - 8. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
 - 9. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and of discrepancies between Site conditions and the Contract Documents, and the written resolution thereof by Engineer is acceptable to Contractor.

10. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.
11. The submission of this Bid constitutes an incontrovertible representation by Bidder that without exception the Bid and all prices in the Bid are premised upon performing and furnishing the Work required by the Bidding Documents.

6.02 *Bidder's Certifications*

- A. The Bidder certifies the following:
 1. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation.
 2. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid.
 3. Bidder has not solicited or induced any individual or entity to refrain from bidding.
 4. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 8.02.A:
 - a. Corrupt practice means the offering, giving, receiving, or soliciting of anything of value likely to influence the action of a public official in the bidding process.
 - b. Fraudulent practice means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition.
 - c. Collusive practice means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels.
 - d. Coercive practice means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

BIDDER hereby submits this Bid as set forth above:

Bidder:

(typed or printed name of organization)

By:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

If Bidder is a corporation, a partnership, or a joint venture, attach evidence of authority to sign.

Attest:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

Address for giving notices:

Bidder's Contact:

Name:

(typed or printed)

Title:

(typed or printed)

Phone:

Email:

Address:

Bidder's Contractor License No.: (if applicable)
